

# BraindumpQuiz



- ✓ Online Tool, Convenient, easy to study.
- ✓ Instant Online Access
- ✓ Supports All Web Browsers
- ✓ Practice Online Anytime
- ✓ Test History and Performance Review
- ✓ Supports Windows / Mac / Android / iOS, etc.



- ✓ Installable Software Application
- ✓ Simulates Real Exam Environment
- ✓ Builds Exam Confidence
- ✓ Supports MS Operating System
- ✓ Two Modes For Practice
- ✓ Practice Offline Anytime



- ✓ Printable PDF Format
- ✓ Prepared by IT Experts
- ✓ Instant Access to Download
- ✓ Study Anywhere, Anytime
- ✓ 365 Days Free Updates
- ✓ Free PDF Demo Available



## Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.



## 365 Days Free Updates

Free update is available within 365 days after your purchase. After 365 days, you will get 50% discounts for updating.



## Money Back Guarantee

Full refund if you fail the corresponding exam in 90 days after purchasing. And Free get any another product.



## Instant Download

After Payment, our system will send you the products you purchase in mailbox in a minute after payment. If not received within 2 hours, please contact us.

<http://www.braindumpquiz.com/>

Best exam materials provider - BraindumpQuiz! Choosing us, Benefit more!

**Exam :** 70-181

**Title :** TS: Forefront Protection for  
Endpoints & Apps, Configuring

**Vendors :** Microsoft

**Version :** DEMO

NO.1 You create a catalog item for a driver. The driver depends on two environment variables named

SYSGEN\_SDBUS and SYSGEN\_MYDRIVER.

You add SYSGEN\_MYDRIVER to the Sysgen Variable value of the catalog file.

You need to ensure that the driver depends on both environment variables.

What should you modify

A. the Additional Variables list of the catalog file

B. the Modules list of the catalog file

C. the CONFIG section of the Platform.bib file

D. the MODULES section of the Platform.bib file

Answer: A

NO.2 You install a new board support package (BSP) named MyBSP.

When you run the Create an OS Design wizard, you discover that MyBSP is not listed in the Board

Support Packages list.

You need to create an OS design that uses MyBSP.

What should you do

A. Modify the Modules list in the catalog file of MyBSP.

B. Modify the Sysgen Variable value in the catalog file of MyBSP.

C. Install the Windows Embedded Compact 7 Shared Sources.

D. Install the Windows Embedded Compact 7 CPU architecture for MyBSP.

Answer: D

NO.3 You have an OS design that generates an OS image. You have an executable file from a third-party developer.

You include the executable file in the OS image.

You need to ensure that the executable file runs when the OS image starts.

What should you modify

A. the CONFIG section of the Config.bib file

B. the FILES section of the Platform.bib file

C. the HKEY\_LOCAL\_MACHINE\Init registry key

D. the HKEY\_LOCAL\_MACHINE\Startup registry key

Answer: C

NO.4 You have an OS design. You have an executable file from a third-party developer.

You need to ensure that when you generate an OS image, the OS image includes the

executable file.

Which file should you modify

- A.Osdesign.bib
- B.Osdesign.dat
- C.Osdesign.db
- D.Osdesign.reg

Answer: A

NO.5 You have a board support package (BSP) named myBSP.

You need to add a new application to the catalog.

Which file should you modify

- A.Mybsp.bat
- B.Mybsp.pbcxml
- C.Platform.bib
- D.Sources.cmn

Answer: B

NO.6 You have an OS image that runs on a target device.

You start the target device and establish a Kernel Independent Transport Layer (KITL) connection.

You receive a third-party application.

You need to ensure that you can run the application on the target device.You must achieve the goal

without rebuilding the OS image.

What should you do

- A.Add the application to Osdesign.dat.
- B.Add the application settings to Osdesign.reg.
- C.Copy the application to the FILES folder.
- D.Copy the application to the %\_FLATRELEASEDIR% folder.

Answer: D

NO.7 You are developing a device driver for a board support package (BSP).

You need to ensure that the device driver can be selected from the Platform Builder catalog.

What should you do

- A.Add the driver to Platform.bib.
- B.Add a new item to the .pbcxml file of the BSP.
- C.Add a new item to the .pbxml file of the OS design.
- D.Add an environment variable to the batch file of the BSP.

Answer: B

NO.8 You clone a board support package (BSP) and name the cloned BSP MyBSP. You add two networking driver catalog items named Driver1 and Driver2 to MyBSP. Both drivers are in the same catalog location.

You need to ensure that when you create an OS design by using MyBSP, only one of the drivers can be selected from the catalog.

What should you do

A. Add Driver1.dll to the Modules list of the Driver1 catalog item. Add Driver2.dll to the Modules list of the Driver2 catalog item.

B. Add Driver1 to the Additional Variables of the Driver1 catalog item. Add Driver2 to the Additional Variables of the Driver2 catalog item.

C. Set the ChooseOneGroup value to True for the Driver1 catalog item. Set the ChooseOneGroup value to True for the Driver2 catalog item.

D. Set the ChooseOneGroup value to False for the Driver1 catalog item. Set the ChooseOneGroup value to False for the Driver2 catalog item.

Answer: D

NO.9 You are developing an OS design.

You receive an application from a third-party developer. The application is compiled for the processor

architecture of your target device and for Windows Embedded Compact 7.

You add the application to an OS image and discover that the application cannot run.

You need to identify what prevents the application from running.

Which tool should you use

A. Blddemo.bat

B. Buildrel.bat

C. Dumpbin.exe

D. Viewbin.exe

Answer: C

NO.10 You have a DLL named Mydll.dll.

You add the following entry to the MODULES section of Platform.bib:

```
mydll.dll $(_FLATRELEASEDIR)\mydll.dll NK SHK
```

You create a catalog item for Mydll.dll.

You need to ensure that Platform Builder verifies whether Mydll.dll is added to the OS image when the

catalog item is selected.

What should you do

- A. In the catalog item, add Mydll.dll to the Modules list.
- B. In the catalog item, set the Unique Id value of Mydll.dll.
- C. In the Platform.bib file, change the flags of Mydll.dll to SH.
- D. In the Platform.bib file, add Mydll.dll to the CONFIG section.

Answer: A